Dublin City Council

Corporate Health and Safety Office

Coronavirus COVID – 19
Standard Operating Guidelines
Travelling for Work

This is an internal Document of Dublin City Council

Version 1.5 May 2020

Document Control

Document Title: Coronavirus COVID -19 Guidelines for Travelling for Essential Work

Author: C. Ray

Organisation: Dublin City Council ,Corporate Health and Safety Office (CHSO)

Revision:	Description:	Date:	Ву:	Reviewed by:	Approved by:
0.1	Initial Draft	27.03.2020	CR	P. Cg, SEHSO's	
0.2	Review Draft	27.03.2020	CR	P. Cg, SEHSO's	
	Driver Cleaning Log				
0.3	Review Pre-substantial Draft	30.03.2020	CR	P. Cg, SEHSO's	
1.0	Published	30.03.2020	CR	P. Cg, SEHSO's	P. Cg
1.1	Reformatted,	07.04.2020	CR	P. Cg	P. Cg
	No change to content				
1.2	Title Change, Incl LGMA & Gov	15.05.2020	CR	A.C	
	guidelines, LGMA SoP				
1.3	Additional measures re. Work	19.05.2020	CR	P.Cg, SEHSO's	
	Vehicles, Inclusion gov.				
	recommendation re. face				
	coverings on public transport				
1.4	Covid-19 induction, contact	21.05.2020	CR	P.Cg, SEHSO's,	
	HSO, distance in cabs, CVRT ref.			J.Fg	
	removed				
1.5	Appendix B – Risk Assessment	25.05.2020	CR		P.Cg
Effective	27 th May 2020		1		
Date :					

Table of Contents

Document Title: Covid-19 Standard Operating Guidelines for Travel for Work

Contents

Introduction		4
Public Health Contr	ol Measures	4
Travelling to / from	Work	4
	il Work Vehicles	
	ators:	
Monitoring of Arra	ngements	6
APPENDIX A	DRIVER VEHICLE CLEANING LOG	7
APPFNDIX B	SAMPLE RISK ASSESSMENT	8

Introduction

The outbreak of Coronavirus Disease (COVID-19) has evolved rapidly. The Department of Health (DoH) is leading the government response in Ireland to this national public health risk.

As per HSA advice (2020), where the nature of the work poses an occupational exposure health risk to COVID-19, such as in healthcare and laboratory settings, employers are required to ensure that an appropriate Biological Agents risk assessment is carried out.

For other workplaces where there is no *occupational* exposure health risk to Covid-19 such as offices, transport, etc., employers should take into account the most up to date official public health advice and guidance from the Department of Health (DoH) and the Health Protection Surveillance Centre on how to mitigate the health risk.

Potential Hazards

- Contamination with COVID-19 virus.
- Spread of COVID-19 virus.
- Coming into contact with someone who has the virus and is coughing and sneezing. Close
 contact includes face to face contact; spending more than 15 minutes within two metres of an
 infected person; living with an infected person.
- Touching surfaces that an infected person has coughed or sneezed on.
- Inability to maintain physical distancing requirements in line with public health advice

Public Health Control Measures



Travelling to / from Work

- Where possible, walk or cycle, to and from work.
- Where possible, travel alone in your private vehicle.
- Where practicable, DCC Facilities Management and depot/office managers will endeavour to accommodate parking arrangements for additional cars and bicycles
- If availing of public transport, follow physical distancing guidelines provided by operators.
 Minimise contact with frequently touched surfaces, e.g. handles, roof straps, isolation bars.
- Wearing a cloth face covering is recommended in situations where it is difficult to practice
 physical distancing, such as travelling on busy public transport.

Travelling in Council Work Vehicles

- Where possible, *travel alone in vehicle*. The occupancy level of vehicles is to be minimised, preferably to single occupancy and ideally, no more than 2 persons.
- Only 1 person maximum allowed in small commercial vans, e.g. Caddy, Connect.
- Where 2 metre physical distancing cannot be maintained while travelling, a risk assessment must be carried out.
- Larger vehicles, i.e. with 3 or more seats, may require alternative protective measures, e.g. face
 masks and/or be fitted with temporary partitions to facilitate physical distancing, following risk
 assessment. See note 2 below.
- Perspex and/or materials using a steel/solid/rigid frame may not be installed as part of a partitioning structure, for health and safety purposes.
- All vehicles modified with temporary partitions must be notified to david.connolly@ipb.ie.
- Staff are only permitted to travel together in work vehicles to work sites or for work activities
 only.
- If more than one person per vehicle, the following measures must be followed:
 - Employees should not enter a work vehicle with others if they have any symptoms or have had contact with a confirmed case of COVID-19.
 - o Keep windows of vehicles open, at least partially.
 - Practice good respiratory hygiene.
- It is essential that all drivers and passengers practice good hand hygiene measures:
 - Do not wear disposable gloves instead of washing your hands
 - Do not shake hands with each other or any other person
 - Wash or use sanitiser gel to clean hands each time upon entry or exit to vehicle
 - Wash hands as per HSE guidelines after cleaning/sanitising hard surfaces

Management:

Local management must:

- Ensure all employees receive DCC Covid-19 Induction training.
- Ensure adequate supplies of hygienic wipes and hand sanitiser are available for staff and vehicles.
- Arrange work crews to reduce sharing of vehicles as far as is reasonably practicable.
- Where possible, designate a single driver to a specific vehicle. Similarly, if vehicle is shared with crew member/s, crew must be assigned a specific seat for the shift.
- Where possible, allow for staff to travel directly to site, to reduce numbers in depots/confined areas.
- Implement regular deep-cleaning/sanitisation regime for all vehicles.

Drivers/Plant Operators:

Drivers must:

 Clean/disinfect all hard surfaces likely to be touched by the passenger and/or driver before the start of shift/commencing journey. Hard surfaces include, but are not limited to:

Keys Exterior door handles

Interior door handles Dashboard Seatbelt clips Steering wheel

Handbrake Window switches/handles

Gear shift Fuel cap

Radio controls Lights and Window Wiper controls

Cup holders Air vents and controls

- Keep cleaning products in the cab/vehicle.
- Clean/Disinfect all hard surfaces again before and after taking any breaks in the vehicle.
- Clean/ Disinfect all hard surfaces in the vehicle and remove all rubbish from vehicle at the end of the journey/shift.
- Keep a log of vehicle cleaning activity on Vehicle Cleaning Log Sheet. This is to be available for inspection by line managers and H&S Officers upon request.
- If a sneeze or cough has possibly contaminated the vehicle cab then, STOP, PARK SAFELY and clean and disinfect all the internal hard surfaces in the cab.
- Use disposable gloves and hand hygiene measures when filling fuel at service stations.
- When sharing vehicle, maintain airflow in vehicle throughout journeys, i.e. keep windows at least partially open.

Monitoring of Arrangements

• Covid-19 arrangements to be monitored regularly by local management.

If you have any queries, contact your Line Manager and/or Health & Safety Officer

If you are feeling unwell or displaying symptoms, self-isolate and make phone contact with your GP/ Line Manager and Human Resources Department.

- Note 1: IPB have agreed to extend the Local Authorities motor fleet policy to provide business use for these employees using personal vehicles for the period of the emergency. The cover level is agreed Comprehensive Cover. Management must keep a record of the employee's name and private insurance policy number.
- Note 2: IPB has issued an advisory note to Local Authorities in relation to this issue. Local Authorities should ensure that they are informed about this item.

APPENDIX A DRIVER VEHICLE CLEANING LOG

river Name		Pay No		Section	
Vehicle Type	Vehicle Reg. no.	All Hard Surfaces cleaned & disinfected*	Date	Time	Signature

Hard surfaces include, but are not limited to:

Keys	Exterior door handles	Interior door handles	Dashboard	Seatbelt clips
Steering wheel	Handbrake	Window switches/handles	Gear shift	Fuel cap
Radio controls	Lights and Window Wiper controls	Cup holders	Air vents and controls	Door pocket

APPENDIX B SAMPLE RISK ASSESSMENT

	Water Services - Risk Asses	sment – Travelling	in Stillorgan Operational Vehicles during Covid-19 Pandemic	
ACTIVITY Description of the work involving risk of injury	HAZARD Description of the hazard which has the potential to cause harm	RISK RATING High / Medium / Low	CONTROL MEASURES REQUIRED (if any) Controls put in place to reduce the hazard or risk of it occurring. Can the hazard be eliminated? Can the risk be lowered?	PERSON RESPONSIBLE FOR ACTION
 Travelling to/from reservoir and water sites in Stillorgan Operational Vehicles 	 Transmission of the COVID-19 virus within multi-occupancy vehicles based at Stillorgan. Close contact between vehicle occupants, i.e. 15 minutes or more within 2m. Occupant contact with multiple transmission points within vehicles. Inability to maintain 2m physical distancing in line with public health advice. Contamination of vehicles. Contribution to community transmission of the COVID-19 virus. 	Likely x Major HIGH	 Optimise remote working arrangements, minimise face to face meetings and eliminate the requirement to visit sites where reasonably practicable. Minimise occupancy levels of vehicles. Single occupancy use of all Water vehicles is preferable. Complete a vehicle specific risk assessment for each of the vehicles based out of Stillorgan, where single occupancy will not be maintained. Where multi-occupancy vehicles are utilised, ensure that occupants sit as far apart as possible. Fit approved partitions within vehicles where a vehicle specific risk assessment deems their use appropriate. Partitions will be required to be durable, yet easily removable in the event of an accident. Permit only competent and licensed persons to drive DCC Water vehicles. Verify that drivers hold a clean valid driving licence on an annual basis. Verify that professional drivers complete Driver CPC training and are listed on Tranman. Drivers with valid Irish Driver CPC cards that are due to expire during the current COVID-19 outbreak will be granted an extension of a maximum of six months up to the 26th of September 2020. Ensure all DCC Water vehicles provided to employees are maintained in accordance with best practice. Verify that all vehicles are serviced at appropriate intervals and have a valid CVRT/NCT where applicable. Report any defects to Fleet Management immediately. Communicate to all employees that IPB has extended LA insurance cover to provide comprehensive insurance for employees to facilitate the use of personal vehicles for work purposes for the duration of the COVID-19 pandemic. Maintain log of all private vehicles used for business purposes during this time. Identify and communicate parking arrangements for personal vehicles/bicycles. 	Senior Executive Engineer / Executive Engineer
			 Monitor all arrangement for the management of the COVID-19 virus within the workplace, including utilising DCC Water or personal vehicles. Take any defective vehicles/plant out of use/off hire immediately. Programme work activities to ensure sufficient rest breaks. Provide hand sanitiser, with a minimum alcohol content of 60%, and cleaning supplies to all employees and within all work vehicles. Prohibit smoking within all Stillorgan operational vehicles. Verify employee CPC training and communicate extension of validity up to the 26th of September 2020. Where practicable, avoid public transport. If required to avail of public transport, the following is recommended: Maintain physical distancing; Wear a face covering/mask; Retain a personal bottle of hand sanitiser on you at all times; Avoid contact with transmission points, i.e. handles, roof straps, isolation bars, etc.; 	Assistant

	Water Services - Risk Assessment – Travelling in Stillorgan Operational Vehicles during Covid-19 Pandemic							
ACTIVITY Description of the work involving risk of injury	HAZARD Description of the hazard which has the potential to cause harm	RISK RATING High / Medium / Low	CONTROL MEASURES REQUIRED (if any) Controls put in place to reduce the hazard or risk of it occurring. Can the hazard be eliminated? Can the risk be lowered?	PERSON RESPONSIBLE FOR ACTION				
			 Sanitise your hands when getting on/off public transport; Avoid physical contact with other passengers; Adhere to vehicle operator's instructions; Wash/Sanitise hands upon arrival at work site. Where reasonably practicable, walk or cycle, to/from work sites. Where reasonably practicable, utilise a personal vehicle to travel to/from site. If utilising a personal vehicle, travel alone or with persons from within your own household only. Maintain personal vehicles in good working order. Sanitise your hands before entering and upon exiting any vehicle. Do not consume food in any vehicle with more than one occupant at any time. All vehicle occupants are required to wear seat belts. Regularly disinfect key COVID-19 transmission points within vehicles, i.e. door handles, steering wheel, handbrake, gear stick, radio controls, etc. as illustrated below: 	Crew Leader / Crew				
			 When driving for work purposes, adhere to the following: Obey the rules of the road and all road traffic controls; Retain hand sanitiser, disinfectant wipes and cleaning materials within all vehicles; Wear a seat belt at all times; Avoid driving under the influence of alcohol or drugs, including prescription and over the counter medication if they cause drowsiness; Avoid distraction whilst driving; Immediately report accidents, near misses or scrapes, including those that do not result in injury; Never overcrowd a vehicle with people, equipment or materials; Wear high-visibility jackets when investigating a breakdown/changing a tyre; 	Crew Leader, Crew, Driver				

	Water Services - Risk Asse	essment – Travelling	g in Stillorgan Opera	tional Vehicle	es during Covid-19 Pandemic	
ACTIVITY Description of the work involving risk of injury	HAZARD Description of the hazard which has the potential to cause harm	RISK RATING High / Medium / Low		ace to reduce th	ASURES REQUIRED (if any) ne hazard or risk of it occurring. Can the hazard d? Can the risk be lowered?	PERSON RESPONSIBLE FOR ACTION
			- Ensure sufficie - Ensure sufficie - Do not use me - If utilising a Still - Complete the - Management - Adhere to the - Report any de - Hands-free m - vehicles. How - calls when dri - Complete the - If multi-occupan - Do not enter - symptoms or - All occupants - and replace as - All occupants - Where practic - All occupants - Minimise phys - Occupants are - Passengers are to - preferable. How - Health and Safe	ent rest prior to ent ventilation oblile phones at lorgan operatio daily Vehicle (Drivers Log Bod DCC Drivers Hefects to the relobile phone carever, if a hand ving. Always expect Vehicle Clay travel is required to a vehicle with having had corare required to a required to able, keep all vare required to able, keep all vare required to able to avoid distractively Officer - a	nditions for which it is not designed; of undertaking any journey; within the vehicle; any time when the vehicle is in motion. In all vehicle, adhere to the following: Checklist before using any vehicle and the Flee ok and Defects Log Book as required; andbook; evant supervisor immediately; relatively, re	C ot 9 es d d is le
			М	aximum Road	Vehicle Seating Arrangements	
			No. of Seats	Max. No. of Occupants	Seating Arrangement (Minimum 1m Between Occupants)	
			2	1	1 x Driver	
			3	2	1 x Driver, 1 x Far Passenger Seat	
			5/6/7	3	1 x Driver, 1 x Far Passenger Seat	
					1 x Rear Seat Positioned Centrally	

	Water Services - Risk Asse	essment – Travelling	g in Stillorgan Opera	tional Vehicles duri	ng Covid-19 Pande	<u>mic</u>	
ACTIVITY Description of the work involving risk of injury	HAZARD Description of the hazard which has the potential to cause harm	RISK RATING High / Medium / Low	Controls put in place to reduce the hazard or risk of it occurring. Can the hazard RESF				PERSON RESPONSIBLE FOR ACTION
			2 Seats	3 Seats	3 Seats	4 Seats	
				<1m c/c	≥1m c/c	≥1m c/c	
			Max. Occupancy: 1	Max. Occupancy: 1	Max. Occupancy: 2	Max. Occupancy: 2	
				Image: A section of the content o	21m		
				5/6/7 Seats	5/6/7 Seats		
				≥1m c/c	≥1m c/c & Partitio		
			N	lax. Occupancy: 2	Max. Occupancy:	3	
					21m		
			 A maximum occu the provision of a specific risk asse 	a partition between th	is permissible in 5/6, ne front and back sea	/7 seat vehicles, with at subject to a vehicle	